




NORTH AMERICAN BASE (NAB) PVC WIRING DUCT

Flexible, durable and high-density
PVC wiring ducts

- + COMPONENTS
- + TECHNOLOGY
- + TECHNICAL DATA

NAB WIRING DUCT

FLEXIBLE.

MODULAR.

EASY INSTALLS.

North American Base (NAB) PVC wiring ducts are 2 meters in length and are available in two configurations: a standard finger offering and a narrow finger/high density option. For **NAB** duct kit sizes that are 1.5” and larger, a duct lid with a protective film is included. The lid is a flush cover that snaps securely over the fingers, ensuring a tight fit with minimal effort.

Individual duct fingers with two predetermined break lines ensure a finger breakout on the upper scoreline, and easy sidewall removal with hand tool on the lower scoreline.

FEATURES

- ▶ Flexible and modular
- ▶ Expandable and retrofitable
- ▶ Cost, resource, and time efficient
- ▶ Reusable




AVAILABLE COLORS



WHITE



GREY



STANDARD FINGER

Standard finger PVC wiring duct is 2-meters in length, and includes lid with a protective film on sizes 1.5" and above.

NARROW FINGER

Narrow finger/high density duct is ideal for use with high-density terminal blocks.

NAB LIDS

All lids on sizes 1.5" and above include a protective removable film, that can be easily removed after installation.

TECHNICAL DATA



STANDARD FINGER


Available in:

- + Grey (.0)
- + White (.1)

Part No. Example:

- + 34.296.0510.**0** (Grey)
- + 34.296.0510.**1** (White)

PART NUMBER / DESIGNATION	NOMINAL SIZE W x H (inch / mm)	DIMENSIONS IN INCHES (Actual)				STANDARD CARTON Quantity
		W	H	E*	F*	
34.296.0506.X / NAB-0506X	½" x ⅝" / 15 x 18	0.60	0.71	0.20	0.30	36
34.296.0510.X / NAB-0510X	½" x 1" / 15 x 30	0.60	1.18	0.20	0.30	20
34.296.0522.X / NAB-0522X	½" x 2¼" / 15 x 60	0.60	2.36	0.20	0.30	16
34.296.1010.X / NAB-1010X	1" x 1" / 25 x 30	1.00	1.18	0.20	0.30	20
34.296.1015.X / NAB-1015X	1" x 1½" / 25 x 40	1.00	1.57	0.31	0.47	18
34.296.1022.X / NAB-1022X	1" x 2¼" / 25 x 60	1.00	2.36	0.31	0.47	24
34.296.1030.X / NAB-1030X	1" x 3" / 25 x 80	1.00	3.15	0.31	0.47	24
34.296.1040.X / NAB-1040X	1" x 4" / 25 x 100	1.00	3.94	0.31	0.47	8
34.296.1515.X / NAB-1515X	1½" x 1½" / 40 x 40	1.57	1.57	0.31	0.47	20
34.296.1522.X / NAB-1522X	1½" x 2¼" / 40 x 60	1.57	2.36	0.31	0.47	18
34.296.1530.X / NAB-1530X	1½" x 3" / 40 x 80	1.57	3.15	0.31	0.47	16
34.296.1540.X / NAB-1540X	1½" x 4" / 40 x 100	1.57	3.94	0.31	0.47	8
34.296.2215.X / NAB-2215X	2¼" x 1½" / 60 x 40	2.36	1.57	0.31	0.47	12
34.296.2222.X / NAB-2222X	2¼" x 2¼" / 60 x 60	2.36	2.36	0.31	0.47	12
34.296.2230.X / NAB-2230X	2¼" x 3" / 60 x 80	2.36	3.15	0.31	0.47	12
34.296.2240.X / NAB-2240X	2¼" x 4" / 60 x 100	2.36	3.94	0.31	0.47	4
34.296.3015.X / NAB-3015X	3" x 1½" / 80 x 40	3.15	1.57	0.31	0.47	12
34.296.3022.X / NAB-3022X	3" x 2¼" / 80 x 60	3.15	2.36	0.31	0.47	12
34.296.3030.X / NAB-3030X	3" x 3" / 80 x 80	3.15	3.15	0.31	0.47	12
34.296.3040.X / NAB-3040X	3" x 4" / 80 x 100	3.15	3.94	0.31	0.47	4
34.296.3050.X / NAB-3050X	3" x 5" / 75 x 125	2.95	4.92	0.31	0.47	6
34.296.4015.X / NAB-4015X	4" x 1½" / 100 x 40	3.94	1.57	0.31	0.47	8
34.296.4022.X / NAB-4022X	4" x 2¼" / 100 x 60	3.94	2.36	0.31	0.47	8
34.296.4030.X / NAB-4030X	4" x 3" / 100 x 80	3.94	3.15	0.31	0.47	8
34.296.4040.X / NAB-4040X	4" x 4" / 100 x 100	3.94	3.94	0.31	0.47	4
34.296.4050.X / NAB-4050X	4" x 5" / 100 x 125	3.94	4.92	0.31	0.47	4
34.296.6040.X / NAB-6040X	6" x 4" / 150 x 100	5.91	3.94	0.31	0.47	4



Available in various lengths.

(1) Each standard length is actually 78 ¾", but is counted as 6 feet for packaging and pricing.
All wiring ducts come complete with lid. Wiring duct lids can be sold separately.





NARROW FINGER (HIGH DENSITY/HD)


Available in:

- + White HD (.2)
- + Grey HD (.3)

Part No. Example:

- + 34.296.0510.2 (White)
- + 34.296.0510.3 (Grey)

PART NUMBER / DESIGNATION	NOMINAL SIZE W x H (inch / mm)	DIMENSIONS IN INCHES (Actual)				STANDARD CARTON Quantity
		W	H	E*	F*	
34.296.0506.X / NAB-0506XHD	½" x ⅝" / 15 x 18	0.60	0.71	0.16	0.24	36
34.296.0510.X / NAB-0510XHD	½" x 1" / 15 x 30	0.60	1.18	0.16	0.24	20
34.296.0522.X / NAB-0522XHD	½" x 2¼" / 15 x 60	0.60	2.36	0.16	0.24	16
34.296.1010.X / NAB-1010XHD	1" x 1" / 25 x 30	1.00	1.18	0.16	0.24	20
34.296.1015.X / NAB-1015XHD	1" x 1½" / 25 x 40	1.00	1.57	0.16	0.24	18
34.296.1022.X / NAB-1022XHD	1" x 2¼" / 25 x 60	1.00	2.36	0.16	0.24	24
34.296.1030.X / NAB-1030XHD	1" x 3" / 25 x 80	1.00	3.15	0.16	0.24	24
34.296.1040.X / NAB-1040XHD	1" x 4" / 25 x 100	1.00	3.94	0.16	0.24	8
34.296.1515.X / NAB-1515XHD	1½" x 1½" / 40 x 40	1.57	1.57	0.16	0.24	20
34.296.1522.X / NAB-1522XHD	1½" x 2¼" / 40 x 60	1.57	2.36	0.16	0.24	18
34.296.1530.X / NAB-1530XHD	1½" x 3" / 40 x 80	1.57	3.15	0.16	0.24	16
34.296.1540.X / NAB-1540XHD	1½" x 4" / 40 x 100	1.57	3.94	0.16	0.24	8
34.296.2215.X / NAB-2215XHD	2¼" x 1½" / 60 x 40	2.36	1.57	0.16	0.24	12
34.296.2222.X / NAB-2222XHD	2¼" x 2¼" / 60 x 60	2.36	2.36	0.16	0.24	12
34.296.2230.X / NAB-2230XHD	2¼" x 3" / 60 x 80	2.36	3.15	0.16	0.24	12
34.296.2240.X / NAB-2240XHD	2¼" x 4" / 60 x 100	2.36	3.94	0.16	0.24	4
34.296.3015.X / NAB-3015XHD	3" x 1½" / 80 x 40	3.15	1.57	0.16	0.24	12
34.296.3022.X / NAB-3022XHD	3" x 2¼" / 80 x 60	3.15	2.36	0.16	0.24	12
34.296.3030.X / NAB-3030XHD	3" x 3" / 80 x 80	3.15	3.15	0.16	0.24	12
34.296.3040.X / NAB-3040XHD	3" x 4" / 80 x 100	3.15	3.94	0.16	0.24	4
34.296.3050.X / NAB-3050XHD	3" x 5" / 75 x 125	2.95	4.92	0.16	0.24	6
34.296.4015.X / NAB-4015XHD	4" x 1½" / 100 x 40	3.94	1.57	0.16	0.24	8
34.296.4022.X / NAB-4022XHD	4" x 2¼" / 100 x 60	3.94	2.36	0.16	0.24	8
34.296.4030.X / NAB-4030XHD	4" x 3" / 100 x 80	3.94	3.15	0.16	0.24	8
34.296.4040.X / NAB-4040XHD	4" x 4" / 100 x 100	3.94	3.94	0.16	0.24	4
34.296.4050.X / NAB-4050XHD	4" x 5" / 100 x 125	3.94	4.92	0.16	0.24	4
34.296.6040.X / NAB-6040XHD	6" x 4" / 150 x 100	5.91	3.94	0.16	0.24	4



Available in various lengths.

(1) Each standard length is actually 78 ¾", but is counted as 6 feet for packaging and pricing.
All wiring ducts come complete with lid. Wiring duct lids can be sold separately.






NAB LIDS



Available in:

- + Grey (.0)
- + White (.1)

PART NUMBER / DESIGNATION	NOMINAL WIDTH (inch / mm)	STANDARD CARTON Quantity
34.296.0000.X / WD Cover ½" (Grey / White)	½" / 15mm	50
34.296.0001.X / WD Cover 1" (Grey / White)	1" / 25mm	25
34.296.0002.X / WD Cover 1½" (Grey / White)	1½" / 40mm	25
34.296.0003.X / WD Cover 2¼" (Grey / White)	2¼" / 60mm	25
34.296.0004.X / WD Cover 3" (Grey / White)	3" / 80mm	25
34.296.0005.X / WD Cover 4" (Grey / White)	4" / 100mm	20
34.296.0006.X / WD Cover 6" (Grey / White)	6" / 150mm	20

DRAWINGS







wieland

GLOBAL HEADQUARTERS

Wieland Electric GmbH
Brennerstraße 10 – 14
96052 Bamberg · Germany

Tel +49 951 9324-0
Fax +49 951 9324-198
info@wieland-electric.com

NORTH AMERICA

Wieland Electric Inc.
3570 Platinum Drive, Unit 6 & 7
Mississauga · ON · Canada · L5M 2R7

Toll Free 1 800 WIELAND (943-5263)
Fax 1 905 829 8414
technical.support@wieland-electric.com

34.205.0173.0 06/24

Represented in over 70 countries worldwide

www.wieland-americas.com