



revos

THREAD ADAPTORS

Metric to NPT

Metric to NPT Thread Adaptors




Male Thread (Metric)	Female Thread (NPT)	H mm	SW mm	Type	Part No.
M20 x 1.5	1/2"	34	25	B	34.279.1001.0
M20 x 1.5	3/4"	34	30	B	34.279.1002.0
M25 x 1.5	1/2"	19	30	A	34.279.1003.0
M25 x 1.5	3/4"	34	30	B	34.279.1004.0
M25 x 1.5	1"	34	36	B	34.279.1005.0
M32 x 1.5	1/2"	19	36	A	34.279.1006.0
M32 x 1.5	3/4"	19	36	A	34.279.1007.0
M32 x 1.5	1"	34	36	B	34.279.1008.0
M32 x 1.5	1 1/4"	37	45	B	34.279.1009.0
M40 x 1.5	3/4"	22	45	A	34.279.1010.0
M40 x 1.5	1"	22	45	A	34.279.1011.0
M40 x 1.5	1 1/4"	40	45	B	34.279.1012.0
M40 x 1.5	1 1/2"	40	55	B	34.279.1013.0
M50 x 1.5	1"	23	55	A	34.279.1014.0
M50 x 1.5	1 1/2"	40	55	B	34.279.1015.0
M50 x 1.5	2"	40.5	65	B	34.279.1016.0


Specifications	Type A	Type B
Adaptor Material	Nickel Plated Brass*	Nickel Plated Brass*
O-Ring Material	Neoprene	Neoprene
Tempature	-40 to +100°C	-40 to +100°C

* Other Materials Available

Dimensions



Type A



Type B



wieland

NORTH AMERICAN HEADQUARTERS

Wieland Electric Inc.

3570 Platinum Drive Unit 6 & 7 Mississauga

Ontario, Canada L5M 2R7

Tel +1 905 829 8414

Fax +1 905 829 8413

technical.support@wieland-electric.com

34.205.0164.0 02/24

Worldwide in over 70 Countries:

www.wieland-americas.com